DONGGUAN LINLIN TRADING CO., LTD



DS-FS



XHD-FS

INSTRUCTION MANUAL

Product warranty: 2 years

HD PROFESSIONAL LOGO PROJECTION

I THE CONTENT YOU PURCHASE

The projector should be used with gobo . so please purchase the projectorand lens together .



The projection lamp needs to project your logo picture.

After receiving the goods, please send your LOGO file (in clear PSD, JEG, PDF and Al format) to my email: <code>lucy13437438945@163.com</code> , when we receive your LOGO file, our designers will design your logo again, and then confirm to you. If there is no problem, we will customize your LOGO lens as soon as possible and send it out as soon as possible. It will arrive in about 6-10 days after shipment. Please attach your specific address, specific zip code and correct telephone number to the email, so that we can arrange the delivery directly after we customize the LOGO lens. If you have any questions, please contact us by email. If you have whatspp.

you also can add our whatspp: +86 13437438945.

I DELIVERY PROCESS









I LED PROJECTOR INSTALLINSTRUCTION

1 CONNECTION MODE

Yellow wire: Theneutral wire. Brown/Blue wire: Regardless of positive and negative pole.

2 IINSTALLATION MODE-THE GOBO GLASS

- I. Take off the lens.
- II. Take off the circlip.
- III. Change the gobo carefully with the right side towards the inside.(The logo on the front faces down)




3 PRODUCT INSTALLATION

I. Insert the explosive screws into the wall screw holes



II. Connect the base of the machine to the screw and screw on the nut



4 INSTALLATION MODE-THE PROJECTOR

I. Fix the metal bottom on the wall, and turn the projector to the right direction.

II. Rotate the lens to get a clear picture, then fasten theiron ring to compact the rubber ring to assurewater resistance.




5 ADJUST THE LENS FOCUS

According to the different installation distance, rotate the lens part clockwise or counterclockwise to adjust the projection clarity



6 FROJECTOR SIZE




I MATCHING REMOTE CONTROL

I. Install remote control battery



Under normal circumstances, the remote control has been paired before the machine leaves the factory, and the battery can be used directly. If the remote control can not be used normally, it needs to be paired with the machine. See the pairing method below

II. Hold the remote control to the machine, long press A key (Keep holding down the "A" key until the pairing is complete, taking care not to release it until the pairing is complete), the remote control will light a red light



III. cornect the machine to power (plug in)



IV. Until the projector flashes, (the projector will makea "di" sound) Remote control match successful





Please contact us if you have any questions during the use of the projector, in any case, I will always provide you with the best service.

please contact us by email: lucy13437438945@163.com

whatsapp :+ 86 13437438945

Product name: LED GOBO Projector

FCCID: TST20230990091-4SC CEID: TST20230990091-1SC ROHSID: TST20230990091-3RC

Manufacturer: Dongguan Linlin Trading Co.. LTD Address: Room 1406, No. 65, Tanglong East Road,

Tangxia Town, Dongguan City, Guangdong Province, china

MADE IN CHINA

EC REP

MJCM Limited Room A8.2, Liffey Building, Dublin 1, Ireland+353 0894831095



EU&MJCM LTD Suite 813,162 Warwick Way London,SW1V 4JE,GB0044 2081385887



